



Kinamaskiner

Kvalitén är mycket bra för dessa pengar, dock skall de inte jämföras med Yamaha m fl där naturligtvis både pris och kvalité är högre.

Priset gäller maskin i låda, tullad, registrerad. Det tar ca 2 timmar att plocka ihop maskinen.

Maskinerna är EU-godkända (ej King A2-1 som är en leksak).

Priset är med moms och inga garantier lämnas. Den som vill ha konsumentköplagens garanti få betala ett tillägg som ännu inte är fastställt.

Beställningar och förskottsinsbetalning sker till Ural Nordic AB BG 5600-4468 eller PG 113231-5. Det går även bra att föra över pengarna till Nordea 30151713073.

Ural Nordic är momspliktigt och de som har momspliktiga företag har möjlighet att dra av momsen, naturligtvis utifrån gällande lagstiftning.

Se gärna vidare på www.atv-dirtbike.com

Välkomna !

Lars Alfredsson 070 6424110

Web: www.ural.se

Mail: info@ural.se



Blue

Green

Snow Plow

2-Wheel Trailer

4-Wheel Trailer

Winch

ATV 650 (4WD) SPECIFICATION

Dimension and Mass

Overall dimension(LxWxH): 2150x1180x1200 mm (84.6x49.2x47.2 in.)
 Wheel base: 1280 mm (50.3 in.)
 Wheel track-----front: 977 mm (38.4 in.)
 Wheel track-----rear: 926 mm (36.4 in.)
 Ground clearance: 240 mm (9.5 in.)
 Seat hight: 880 mm (34.6 in.)
 Dry weight: 350 Kg (772 lbs)
 Fender and color available: Plastic, Red, Blue, Green ect

Engine

Type: Horizontally opposed, Dual-cylinder, four-stroke, water-cooled, CDI
 Displacement: 644 cm³ (650cc)
 Bore x Stroke: 76 x 71 mm (2.99 x 2.79 in.)
 Compression: 8:1
 Starting mode: Electric
 Standard power output: 20.0 kw
 Max torque: 45N.m

Transmission and Chassis

Transmission: Manual or pedal operated

Final Drive: 2 x 4 / 4 x 4 shaft

Suspension: Independent -double A-arm

Front tire size : AT25 x 8-12

Rear tire size: AT25 x 10-12

Brake system: Hydraulic disc front & rear

Parking device: Foot rest, R.H.

Electrical and Instrument

Battery: 36Ah.12V

Instrument: Digital indicator Fuel gauge, Neutral indicator etc.

Speedometer/Odometer: Metric system/British system available

Capacity

Turning radius: <3500 mm (<138 in.)

Max payload: 220Kg(front rack 40 Kg ,rear rack 80 Kg and one occupant)

485 lbs(front rack 88 lbs, rear rack 176 lbs and one occupant)

Fuel capacity: 18 L (4.5 U.S gal)

Max speed: 75 km/h (46 mile/h)

Climbing Angle: <40o

Towing capacity: 500 Kg (1102 lbs)

Accessories

Trailer, Winch, Snow plaug and Forklift, ect as requirement

QTY/Container: 10units/20'; 20units/40HQ

Pris: 42000:-, plog 4000:-, Winch 1200:-, 2-axlad vagn med hydraltipp 13500:-



Helt ny ATV 300 som är EU-godkänd

Pris 25000:-



Red + Flat Black



Blue + White



Golden



Yellow + White

Red + White

Red

SCOOTER 50QT-6

SPECIFICATION

Exterior size	1730*680*1180mm
Wheel base	1265mm
Dry weight	90kg
Maximum load mass	150kg
Maximum speed	45km/h
Fuel capacity	5.0L
Brake type	F/R:Disk/Drum
Starting system	Electric & kick start
Tire size	F/R:120/70-12 130/70-12
Battery size	12V 6Ah
engine type	4 stroke, single, air-forced cool
Displacement/power	49ml/2.2kw
Brake control type	F/R:Hand/hand
RED, YELLOW, BLACK, GOLDEN, BLUE, SILVER	
QTY/Container: 24units/20'; 48units/40'; 84units/40HQ	

Pris 9900:-



DIRT BIKE 125TR/200TR [>>More Pics](#)

SPECIFICATION

Type	DIRT BIKE 125TR/200TR
Engine	124cc/193cc single cylinder, four stroke, air cooled.
Bore x Stroke	56.5 x 49.5mm / 63 x 62mm
Transmission	5-speed, manual clutch
Front Brake	Disc
Rear Brake	Disc
Front Tyre	3.0-21
Rear Tyre	4.1-18
Dry Weight	123kgs / 128kgs
Seat Height	910 mm
Fuel Capacity	10L
>>ACCESSORIES	
RED, BLUE, BLACK, ORANGE	
QTY/Container: 30units/20'; 62units/40'	

Pris 200 cc 14900:-



BA-2603

(RTR with Futaba OEM Remote System)

SPECIFICATION

- 1) Boat length: 1,320mm
- 2) Boat width: 435mm
- 3) Boat height: 330mm
- 4) N.W/G.W: 6.5kg/11.5kgs
- 5) Engine (included): 26cc gas online, water-cooled
- 6) Speed: 40-50km/h
- 7) Range: 45 minutes
- 8) Packing size: 1400x500x420mm
- 9) Starting system: pull start
- 10) Remote device (included): Futaba radio 2DS, 2-channel, 2 servos

QTY/Container: 80pcs/20'; 165pcs/40'; 198pcs/40HQ

← [BACK](#)

Pris 4900:-



XR821A15

SPECIFICATION

Displacement(cc)1-CYLINDER, AIR-COOLING, 4-STROKE, 125cc.

Max Power(kw/r/min) 6.5/8000

Max Torque(N.m/r/min) 9.0/5000

Economical Fuel Consumption(Only reference) $\leq 1.9L/100km$

Fuel Tank Volume(L) 3

Engine Oil Volume(L) 1.1

Max Load(kg) 130

Ignition Mode C.D.I

Min Ground Clearance(mm) 240

Broke Distance(30km/h): 7M

Dimensions: 1600 x 645 x 840mm

carton size:1400x450x720mm

Brake Mode(FR./RR.):DISK/DISK

Container:60pcs/20'GP,123pcs/40'ft,147pcs/40'HQ

Front-Tire/ Rear-Tire: 2.75 x 14/3.0X12;

Front-Tire/ Rear-Tire: 2.75 x 12/3.0X12;

Fron-Tire/ Rea-Tire: 2.75 x 12/3.0X10;

Front- Tire/ Rear- Tire: 2.75 x 10/3.0X10;

Newest Double Girder Aluminium frame +CNC

Aluminium wheels and hubs with heavy duty spokes

Aluminium handlebars
Newest Aluminium rear swingarm + CNC
Aluminium footrest
Aluminium engine bottom cover
Aluminium Exhaust
Aluminium anodize rim
Aluminium fuel cap
Chain tensioner, roller, chain guard
New style air filter
New style hub
New fashion plastic cover
Front Suspension - 42/48 mm up side down fork NTC Brand(TAIWAN)
New updated rear center absorber with air cell-Adjustable made in TAIWAN
Quality 3M-sticker kit
MIKUNI carbe
NGK spark plug
KMC chain
Kenda tyre
Engine brand:LONCIN/ZONGSHEN/LIFAN
CE Certification

Pris 8900:-



KING A2-1

SPECIFICATION

Engine: 49cc, single cylinder, air-cooling, 2 stroke

Oil type	petrol, 1:25 engine oil mixing
Tank capacity	2.5L
Driving mode	chain
Starting system	pull start
Wheel	13' tubeless
Brake system	disc brake
Max speed	60km/h
Range	80km
Max loaded	150kgs
G.W. / N.W.	25/23kgs
Carton Size	105x38.5x59cm
QTY/Container: 120pcs/20'; 250pcs/40'; 280units/40HQ	

Pris 1500:-